

CORNER WORKSTATIONS

Corner workstations allow for a more complete and integrated layout. They also make use of all available space for work and storage.

To order, choose "WITH" or "WITHOUT" cabinet under the work surface. Then configure your workstation. Options vary depending on the configuration chosen.


DISTINCTIVE FEATURES


- Ergonomic 36" or 40" work surface height
- Standard 30" work surface depth
- Choice of two configurations: with or without cabinet under the work surface
- Leveling glides included in each model for a stable and level workstation
- Designed to be placed against a wall or back to back
- Must be anchored to two cabinets of the same height and depth, one on each side (LA30, RA30 or RA35). See the Cabinet section (see page 4) or R Multi-Drawer Cabinet section (see page 66)

WITHOUT CABINET UNDER THE WORK SURFACE

0030 0630


Right-angled corner (2"W finishing panel)






WITH CABINET UNDER THE WORK SURFACE

1230



1830







RS-C008X

RS-C002X

RS-C080S

RS-C084X

rousseau.com

info@rousseau.com

PRECONFIGURED MODELS

0030 WORKSTATION WITH FINISHING PANELS AND UTILITY PANELS



RS-C090X



PRODUCT NO.	D OF TOP×H	
RS-C090X	30"×76"	

MIDDLE SECTION - CORNER STATION

Set of painted steel top finishing panels (20"H) and stainless steel power feed panel with 3 power outlets (12A)

RS-U0030F54S

Set of painted steel lower utility panels (15"H)

RS-M0030P1P

Pre-punched stainless steel top with attachment bars

RS-W003001S

Painted steel finishing panel and 4"H stainless steel kick plate

RS-B0030341001S

SIDE SECTIONS AND ACCESSORIES

Workstations with L Compact Cabinets 2 on 4"H stainless steel bases, painted steel upper finishing panels (20"H) and lower utility panels (15"H), stainless steel top and cover panel

	L3XEG-3012L3X2
Packs of 10 double back single hooks (5"D)	WM9H-05

Pliers holder WM9M-01 Leveling glide kits for L Compact Cabinets RA75-01

0630 WORKSTATION WITH ELECTRONIC TABLET SUPPORT



RS-C050S



PRODUCT NO.	D OF TOP×H
RS-C050S	30"×36"

MIDDLE SECTION - CORNER STATION

Stainless steel cover panel for computer mount

RS69-063001

Pre-punched stainless steel top with attachment bars

RS-W063001S

Open leg on leveling glides, painted steel finishing panel and 4"H stainless steel kick plate

RS-B0630341001S

SIDE SECTIONS AND ACCESSORIES

2	Stainless steel cover panels	RC67-3601
2	Stainless steel cabinet tops	RC35-3630

R Heavy-Duty Cabinets on 4"H stainless steel bases

		KJALG-30203
2	Leveling g l ide kits	
	for R Heavy-Duty Cabinets	RA74-01
1	Tab l et arm	RC59-62-01

1230 WORKSTATION WITH STORAGE CABINETS



RS-C060X



PRODUCT NO.	D OF TOP×H
RS-C060X	30"×76"

MIDDLE SECTION - CORNER STATION

Storage cabinet with integrated sliding polycarbonate doors and painted steel power feed panel with 3 power outlets (12A), knockout for pneumatic connection and perforation for telephone or network jack

RS-U1230R21P

Set of painted steel lower finishing panels (15"H)

RS-M1230F1P

Pre-punched stainless steel top with attachment bars

RS-W123001S

L Compact Cabinet with 4"H stainless steel base, leveling glides and finishing panels

RS-B1230341L02S

SIDE SECTIONS AND ACCESSORIES

Workstations with a R Heavy-Duty Cabinets on 4"H stainless steel bases, storage cabinets with integrated sliding polycarbonate doors, LED light, painted steel lower finishing panel (15"H), painted steel cover panel and stainless steel top

		R5XEG-4022X
2	Leveling glide kits	
	for R Heavy-Duty Cabinets	RA74-01
1	LED light for the corner	
	storage cabinet	RD45-2416

PRECONFIGURED MODELS

1830 WORKSTATION WITH STORAGE CABINETS







PRODUCT NO.	D OF TOP×H
RS-C024S	30"×76"

MIDDLE SECTION - CORNER STATION

Storage cabinet with flipper door and painted steel power feed panel with 3 power outlets (12A), knockout for pneumatic connection and perforation for telephone or network jack

RS-U1830R01S

Set of stainless steel lower utility panels (15"H)

RS-M1830F1S

- Pre-punched stainless steel top with attachment bars RS-W183001S
- R Heavy-Duty Cabinet with 4"H stainless steel base, leveling glides and finishing panels

RS-B1830341R02S

SIDE SECTIONS AND ACCESSORIES

R Heavy-Duty cabinets on 4"H stainless steel bases, storage cabinets with flipper doors, LED light, stainless steel lower utility panel (15"H), stainless steel top and cover panel

		R5XEG-4014S
2	Leveling glide kits	
	for R Heavy-Duty Cabinets	RA74-01
1	LED light for the corner	
	storage cabinet	RD45-3616
1	Multi-purpose holder	RC51-120312
1	Pliers holder	WM9M-01
1	Single screwdriver holder	WM9N-01
1	Pack of 10 double back	
	single hooks (5"D)	WM9H-05
1	Pack of 10 double back	
	double hooks (5"D)	WM9J-05

1830 WORKSTATION WITH PANELS AND ACCESSORIES



RS-C018X



PRODUCT NO.	D OF TOP×H
RS-C018X	30"×76"

MIDDLE SECTION - CORNER STATION

Set of painted steel upper finishing panels (20"H) and painted steel power feed panel with 3 power outlets (12A), knockout for pneumatic connection and perforation for telephone or network jack

RS-U1830F11P

Set of painted steel lower mixed panels (utility and for plastic bins) (15"H)

RS-M1830X1P

RS-B1830341000P

Pre-punched stainless steel top with attachment bars RS-W183001S open leg and leveling glides

SIDE SECTIONS AND ACCESSORIES

R Heavy-Duty Cabinet on 4"H painted steel base, upper finishing panel (20"H), lower utility panel (15"H), painted steel cover panel and stainless steel top

R5XEG-4008X

R Heavy-Duty Cabinet on 4"H painted steel base, upper finishing panel (20"H), lower panel for plastic bins (15"H), painted steel cover panel and stainless steel top

		R5XEG-4010X
2	Leveling glide kits for	
	R Heavy-Duty Cabinets	RA74-01
1	Pliers holder	WM9M-01
2	Packs of 10 double back	
	single hooks (5"D)	WM9H-05
14	Plastic bins	RG20-060603

STEP BY STEP

CORNER WORKSTATIONS - 0030



TYPE OF SURFACE

CHOOSE YOUR WORKSURFACE









Painted (P) or Stainless Steel (S)

Laminated

Plastic Laminate

Acrylic/PVC Laminate

RS-W003001_


RS-W003002

RS-W003003

RS-W003009

Tops are pre-drilled for easy installation of components


UNDER THE WORKSURFACE



OVER THE WORKSURFACE

CHOOSE FROM THE FOLLOWING MODELS

Choose a finish for the power feed and finishing panel: painted steel (P) or stainless steel (S).






Finishing panels + LCD monitor arm and keyboard & mouse tray + power feed panel*

RS-M0030S1404_

For this model, the power feed panel determines the panel finish, P or S.



Cover panel + LCD monitor arm and keyboard & mouse tray RS-M0030T3_



Power feed panel* RS-M0030T4_

NOTE: * Includes three 12A power outlets

CENTER – LOWER PANELS

Choose your panels for model (A) and finish: painted steel (P) or stainless steel (S)







Utility panels RS-M0030U1_



Plastic bin panels RS-M0030L1P



Finishing panels + tablet arm RS-M0030S2

CORNER WORKSTATIONS - 0630



TYPE OF SURFACE

CHOOSE YOUR WORKSURFACE









Painted (P) or Stainless Steel (S) RS-W063001_


Laminated RS-W063002

Plastic Laminate RS-W063003

Acrylic/PVC Laminate RS-W063009

Tops are pre-punched for easy installation of components above the work surface


UNDER THE WORKSURFACE



OVER THE WORKSURFACE

CHOOSE FROM THE FOLLOWING MODELS

Choose a finish for the power feed and finishing panel: painted steel (P) or stainless steel (S).





Finishing panels + LCD monitor arm and keyboard & mouse tray + power feed panel12

RS-M0630S1401_

In this model the power feed panel determines the panel finish, P or S.



and keyboard & mouse tray

RS-M0630T3_



Power feed panel²

RS-M0630T1

NOTES: ¹The computer mount is positioned on the right by default in this model.

²Includes three 12A power outlets, a knockout for a pneumatic connection and a perforation for installing a telephone or Ethernet jack.

CENTER - LOWER PANELS

Choose your panels for models (A), (B) and (C) and finish: painted steel (P) or stainless steel (S).



Finishing panels RS-M0630F1_



Utility panels RS-M0630U1_



Plastic bin panels RS-M0630L1P



Finishing panels + tablet arm³ RS-M0630S2_

³ The tablet arm is positioned on the right by default in this model.

STEP BY STEP

CORNER WORKSTATIONS - 1230



TYPE OF SURFACE

CHOOSE YOUR WORKSURFACE









Painted (P) or Stainless Steel (S) RS-W123001_

Laminated Hardwood RS-W123002

Plastic Laminate RS-W123003

Acrylic/PVC Laminate RS-W123009

Tops are pre-punched for easy installation of components above the work surface


UNDER THE WORKSURFACE

Cabinet models include a central locking system (L3) and finishing panels. Cabinet dimensions are 18"W×27"D×34"H or 38"H.

NOTES: Drawer compartments are included in all models, see page 27.

To order drawers without compartments, replace the last two digits of the model number with the next even number up.

e.g., L01 with, L02 without




34"H CABINETS

RS-U1230R01

RS-M1230F1







OVER THE WORKSURFACE

CHOOSE FROM THE FOLLOWING MODELS

Choose a finish for the power feed and finishing panel: painted steel (P) or stainless steel (S).



power feed panel² RS-U1230R11_

RS-U1230F11

In this model the power feed panel determines the panel finish, P or S.

Finishing panels + LCD monitor arm and keyboard & mouse tray 1 + power feed panel²

RS-M1230S1401_

In this model the power feed panel determines the panel finish, P or S.

Cover panel + LCD monitor arm and keyboard & mouse tray

RS-M1230T3_

Power feed panel² RS-M1230T1


NOTES: ¹The computer mount is positioned on the right by default in this model. ²Includes three 12A power outlets, a knockout for a pneumatic connection and a perforation for installing a telephone or Ethernet jack.

CENTER - LOWER PANELS

Choose your panels for models (A), (B) and (C) and panel finish: painted steel (P) or stainless steel (S).









Plastic bin panels RS-M1230L1P



Finishing panels + tablet arm³ RS-M1230S2_

NOTE: ³ The tablet arm is positioned on the right by default in this model

CORNER WORKSTATIONS - 1830



TYPE OF SURFACE

CHOOSE YOUR WORKSURFACE









Painted (P) or Stainless Steel (S) RS-W183001_

Laminated Hardwood RS-W183002

Plastic Laminate RS-W183003

Acrylic/PVC Laminate RS-W183009

Tops are pre-punched for easy installation of components above the work surface


UNDER THE WORKSURFACE

Cabinet models include a central locking system (L3) and finishing panels. Cabinet dimensions are 24"W×27"D×34"H or 38"H.

NOTES: Drawer compartments are included in all models, see page 6.

To order drawers without compartments, replace the last two digits of the model number with the next even number up.

e.g., R01 with, R02 without



34"H CABINETS



R01 R5ACG-3029S

12'

R07 R5ACG-3035S



R5ACG-3031S



R09 R5ACG-3037S



R06 R5ACG-3034S



With waste and recycling drawer

38"H CABINETS



R29 R5ACG-3415S


R26 R5ACG-3412S

With waste and recycling drawer

R31

R5ACG-3417S

OVER THE WORKSURFACE





R27

R5ACG-3413S

Finishing panels + LCD monitor arm and keyboard & mouse 1 + power feed panel²

RS-M1830S1401

In this model the power feed panel determines the panel finish, \underline{P} or \underline{S} .



RS-M1830T3_

Power feed panel² RS-M1830T1_

NOTE: For ordering guidelines, (P), (S) and notes 1 & 2, please see page 188.

CENTER - LOWER PANELS

Choose your panels for models (A), (B) or (C) and panel finish: painted steel (P) or stainless steel (S).









Plastic bin panels RS-M1830L1P



Finishing panels + tablet arm³ RS-M1830S2

NOTE: ³ The tablet arm is positioned on the right by default in this model.

RS-M1830F1

ACCESSORIES

CORNER WORKSTATION ACCESSORIES

MULTI-PURPOSE HOLDER

RC51 D

DOCUMENT HOLDER

RC54



- Holds up to four aerosol cans
- Also compatible with drinks cans

PRODUCT NO.	FOR
RC51-120312	With or without top cabinet
RC51-120303	With panel configurations only



• Includes a clip to keep documents in place

PRODUCT NO.	FOR
RC54-141202	With or without top cabinet
RC54-1412	With panel configurations only

TABLET ARM RC58 SLOPED TOP RS31



- Compatible with most tablets on the market
- Installs on the lower section (15) of a finishing panel for computer mount (RS81 and RS82)
- The small version is compatible with tablets between 75%"W and 10"W
- The large version is compatible with tablets between 9%"W and 12¼"W

PRODUCT NO.			
RC58-62-01	Small		
RC58-62-02	Large		



- Keeps the workspace clean and safe while reducing clutter
- The top for computer cabinets includes a fan

PRODUCT NO.	CONFIGURATION	FOR
RS31-063008	0630	Storage cabinet
RS31-123008	1230	Storage cabinet
RS31-183008	1830	Storage cabinet
RS32-063008	0630	Computer cabinet

LED LIGHT

RD45

TOOL HOLDERS



- Brighter and more energy efficient than a fluorescent tube
- Brightens shaded areas under cabinets
- Color temperature: 6000-7000K (cool)
- Includes a galvanized steel fitting
- Includes a 10' power cord
- The recommended operating temperature for our LED lights is between 5°C and 40°C (41-104°F)

CONFIGURATION
0630 and 1230
1830




 Variety of hooks and holders available for hanging items and tools, see pages 214-215. Here are our most popular items:


PRODUCT NO.

WM9N-01	Single screwdriver rack	
WM9H-05	Double back single hook	
WM9M-01	Pliers holder	
WM9G-200	2" dia. single loop hook	


NOTE: Not compatible with computer cabinets.

TAKE INSPIRATION FROM THE ALPHABET!











End-Users: 1.866.463.4270 Distributors: 1.800.463.4271